


City of Marshall

Climatic and Geographic Design Criteria

Building Type	Ground Snow Load	Wind	Seismic Design Category	Weathering	Frost Line Depth	Termite	Decay	Winter Design Temp	Flood Hazard	Radon Zone
Residential	30#	90 MPH	See Figure R301.2(2)	Severe	42"	Moderate to Heavy	Slight to Moderate	See Appendix D in Michigan Plumbing Code	Per your designer	1
Commercial or Industrial	Flat roof per 1608.3 W/Reference Sect. 7.3 or ASCE 7	Per Sect. 1609.1.1 W/Reference to Section 6 of ASCE 7 or Sect. 1609.6	Zone B	Severe	42"	Moderate to Heavy	Slight to Moderate	See Appendix D in Michigan Plumbing Code	Per your designer	NA


Uniform Michigan Energy Code - City of Marshall (Calhoun County) is classified as a Zone 1 based on 6900 Heating Degree Days. All residential buildings shall comply with this code.



Codes Being Enforced

- Michigan Building Code
- Michigan Residential Code
- Michigan Electrical Code
- Michigan Plumbing Code
- Michigan Mechanical Code
- Michigan Uniform Energy Code
- Michigan Barrier Free Design
- Michigan Rehabilitation Code for Existing Structures
- International Property Maintenance Code

MEMBER



INTERNATIONAL
CODE COUNCIL®

Revised 3/21/2005